


CESTRIAN IMAGING RISK ASSESSMENT- Corona Virus- COVID -19

Reference	RA070 Covid-19									
Location	Cestrian Imaging									
Machine	N/A									
Date:	19.05.2020	19.05.2020								
Version	1	1								
Review	19.09.2020									
Carried out by	Jenny Wood									
Employees	See Activity Column for persons									
	affected.		lL							
Risk Control	Low	1-4	ı							
Actions	Medium	5-12	,							
	High Over 12									

	Fatality	5	5	10	15	20	25					
≥	Major Injury (Large bone break)	4	4	8	12	16	20					
EVERITY	Minor Injury (Small bone break)	3	3	6	9	12	15					
SEV	First Aid Treatment	2	2	4	6	8	10					
	Non Treatment Hurt Injury	1	1	2	3	4	5					
			1	2	3	4	5					
RISK MATRIX		Unlikely (Yearly)	Infrequent (Monthly)	Occassional (Weekly)	Frequent (Daily)	Constant (Hourly)						
		•	FREQUENCY - PROBABILITY OF OCCURRENCE									



Monitor
Apply Procedures/Controls

Stop Work (Use Permit To Work)

ACTIVITY	HAZARD	RISK SXL	BAND	CONTROL MEASURES	Re RIS		BAND
Spread of Covid-19	Covid-19 is a new illness	5 4	20	Hand Washing	5	1	5
Coronavirus – Handwashing	that can affect your lungs						
	and airways. It is caused by			Hand washing facilities with soap and water in place.			
Persons affected:	a virus called Coronavirus.			Stringent hand washing taking place.			
	Symptoms can be mild,			See hand washing guidance. The second sec			
• Staff	moderate, severe or fatal			https://www.nhs.uk/live-well/healthy-body/best-way-to-wash-your-hands/ Drive of heads with dispersable pages to usels.			
Visitors to premises				 Drying of hands with disposable paper towels. https://www.nursingtimes.net/news/research-and-innovation/paper-towels- 			
ContractorsDrivers				much-more-effective-at-removing-viruses-than-hand-dryers-17-04-2020/			
Vulnerable groups –				 Staff encouraged to protect the skin by applying emollient cream regularly 			
Elderly, Pregnant workers,				 https://www.nhs.uk/conditions/emollients/ 			
those with existing				Gel sanitisers in any area where washing facilities not readily available			
underlying health				,			
conditions				Additional Controls			
• Anyone else who				programme			
physically comes in				https://www.hse.gov.uk/skin/professional/health-surveillance.htm			
contact with the business							
				To help reduce the spread of coronavirus (COVID-19) reminding everyone of the			
				public health advice - https://www.publichealth.hscni.net/news/covid-19-			
				coronavirus			



CESTRIAN IMAGING RISK ASSESSMENT- Corona Virus- COVID -19

		<u> </u>	11711	IIIIAGIIIG	RISK ASSESSIVIENT - Corona Virus - COVID -19		-	
					Posters, leaflets and other materials are on display.			
Spread of Covid-19 Coronavirus – Cleaning People affected: Staff Visitors to premises Contractors Drivers Vulnerable groups – Elderly, Pregnant workers, those with existing underlying health conditions Anyone else who physically comes in contact with the business	Lack of cleaning may lead to spread of Covid-19	5	4	20	Cleaning • Frequently cleaning and disinfecting objects and surfaces that are touched regularly particularly in areas of high use such as door handles, light switches, reception area using appropriate cleaning products and methods. Additional Controls Rigorous checks will be carried out by line managers to ensure that the necessary procedures are being followed.	5	1	5
Spread of Covid-19 Coronavirus – Social Distancing People affected: Staff Visitors to premises Contractors Drivers Vulnerable groups – Elderly, Pregnant workers, those with existing	Lack of Social distancing may lead to the spread of Covid-19	5	4	20	 Social Distancing -Reducing the number of persons in any work area to comply with the 2-metre (6.5 foot) gap recommended by the Public Health Agency https://www.publichealth.hscni.net/news/covid-19-coronavirus https://www.gov.uk/government/publications/covid-19-guidance-on-social-distancing-and-for-vulnerable-people Taking steps to review work schedules including start & finish times/shift patterns, working from home etc. to reduce number of workers on site at any one time. Also relocating workers to other tasks. Redesigning processes to ensure social distancing in place. Conference calls to be used instead of face to face meetings. Ensuring sufficient rest breaks for staff. 	0	1	0



CESTRIAN IMAGING RISK ASSESSMENT- Corona Virus- COVID -19

		<u> </u>	11117 101110	NISK ASSESSIVENT - COLONA VILUS - COVID - 15			
underlying health conditions • Anyone else who physically comes in				 Social distancing also to be adhered to in canteen area and smoking area Additional Controls 			
contact with the business				Staff to be reminded daily of the importance of social distancing both in the workplace and outside of it. Management checks to ensure this is adhered to.			
Spread of Covid-19 Coronavirus – PPE People affected: • Staff	Lack of Adequate PPE may lead to the increased rate of spreading of Covid-19	5 4	20	 Where Risk Assessment identifies wearing of gloves as a requirement of the job, an adequate supply of these will be provided. Staff will be instructed on how to remove gloves carefully to reduce contamination and how to dispose of them safely. Additional Controls 	5	1	5
 Visitors to premises Contractors Drivers Vulnerable groups – Elderly, Pregnant workers, those with existing underlying health conditions Anyone else who physically comes in contact with the business 				Staff to be reminded that wearing of gloves is not a substitute for good hand washing.			
Spread of Covid-19 Coronavirus – Symptoms of COVID-19 People affected: Staff Visitors to premises Contractors Drivers Vulnerable groups – Elderly, Pregnant workers, those with existing	Not reporting symptoms of COVID-19 and not self- isolating can increase the rate of spreading COVID-19	5 4	20	 If anyone becomes unwell with a new continuous cough or a high temperature in the workplace, they will be sent home and advised to follow the stay at home guidance. Line managers & HR will maintain regular contact with staff members during this time. If advised that a member of staff or public has developed Covid-19 and were recently on the company premises the management team of the workplace will contact the Public Health Authority to discuss the case, identify people who have been in contact with them and will take advice on any actions or precautions that should be taken. https://www.publichealth.hscni.net/ 	5	1	5



CESTRIAN IMAGING RISK ASSESSMENT- Corona Virus- COVID -19

		1					1	
underlying health conditions • Anyone else who physically comes in contact with the business					Additional Controls Internal communication channels and cascading of messages through managers will be carried out regularly to reassure and support employees in a fast changing situation.			
					Managers will offer support to staff who are affected by Coronavirus or has a family member affected.			
Spread of Covid-19 Coronavirus – External Drivers People affected: Goods In / Out / Warehouse	By not controlling external drivers we may increase the spread of COVID-19	5	4	20	Communicate with companies we have deliver from to ensure welfare facilities will be available. Delivery drivers to follow processes put in place to safely deliver goods into Cestrian Additional Controls Contactless Delivery's	5	1	5
Spread of Covid-19 Coronavirus – Mental Health People affected: Staff	An increase in stress, anxiety and depression may happen because of COVID-19 and its repercussions on day to day life.	3	4	12	Management will promote mental health & wellbeing awareness to staff during and after the Coronavirus outbreak and will offer whatever support they can to help Reference - https://www.mind.org.uk/information-support/coronavirus-and-your-wellbeing/www.hseni.gov.uk/stress Additional Controls Regular communication of mental health information and open door policy for those who need additional support.	3	1	3